Abdominal Muscles

Rucha Gadgil, Kunal Mehta, Lucinda Hampton, Jess Bell, Tarina van der Stockt, Admin Physiopedia, Vidhi Gandhi

Introduction

The abdominal muscles are the muscles that make up the anterior, lateral and posterior abdominal wall. Anatomically, the abdominal wall is divided into the anterior and lateral abdominal wall and the posterior abdominal wall. The abdominal muscles support the trunk, allow movement, help in respiration and maintain posture. They also protect the abdominal viscera and help in the expulsion of urine, faeces and during childbirth.[1]

The abdominal muscles together with the [lumbar](#) and [pelvic](#) muscles provide stability to the trunk and pelvis during both functional and postural tasks.[2]

The abdominal muscles support the trunk, allow movement, help in respiration and maintain posture. They also protect the abdominal viscera and help in the expulsion of urine, faeces and during childbirth.[1]

Anatomy

Rectus abdominis

Transversus abdominis

Internal oblique

External oblique

Three pairs (total of 6 abdominal muscles) in the lateral and anterior abdominal wall:

- [Rectus abdominis](#) - the deepest muscle layer. Its main role is to stabilise the trunk and resist external rotation forces.[3]
- [External oblique](#) - the most superficial. It's main role is in the flexion of the [spine](#).[4] When contracting, the muscle has the opposite effect on the pelvis to the [internal oblique](#) muscle. The two muscles work together to flex the trunk and rotate the thorax and the pelvis.
- [Internal oblique](#) - the middle layer. It's main role is in the flexion of the [spine](#).[4] When contracting, the muscle has the opposite effect on the pelvis to the [external oblique](#) muscle. The two muscles work together to flex the trunk and rotate the thorax and the pelvis.
- [Transversus abdominis](#) - the deepest muscle layer. Its main role is to stabilise the trunk and resist external rotation forces.[3]

One pair (total of 2 abdominal muscles) in the posterior abdominal wall:

- [Quadratus lumborum](#) - the deepest muscle layer. Its main role is to stabilise the trunk and resist external rotation forces.[3]

Abdominal Wall Muscles - consist of:

- [Rectus abdominis](#) muscle (also separated by [linea alba](#)) and [pyramidalis](#)
- [External oblique](#) muscle
- [Internal oblique](#) muscle
- [Transversus abdominis](#) muscle

Posterior Wall Muscles

Posterior Wall Muscles - consist of:

- [Quadratus lumborum](#)
- [Psoas](#) muscle
- [Iliacus](#) muscle
- [Diaphragm](#) - the posterior aspect of the diaphragm

Diaphragm

Introducing Pile - Your AI Clinical Companion in Physiotherapy
Enhance your clinical reasoning, minimise paperwork and improve patient outcomes.
Learn more

Muscle Actions

Actions are described as concentric and eccentric actions and are also described as actions of the muscle on the trunk and pelvis.

Actions associated with abdominal muscle control can be classified as: flexion, extension, lateral flexion, rotation, and anterior and posterior pelvic tilt. Abdominal muscles work together to produce movement and stability.

Abdominal Muscle Actions

All origin & insertion - Counter-rotation occurs between the upper and lower trunk and is a key training for a gaze to be maintained over [gait](#).[5]

gait: refers to a form of flow.

- Active abdominal and external oblique at one side on contralateral internal oblique and transversus abdominis at the other side work together to produce trunk rotation.
- The left and rotation always of the side work.
- Rotation is produced by the contraction of the muscles on one side of the body.

The concentric action creates the abdominal muscle to work the trunk and pelvis together and the eccentric action is used to control the movement of the trunk and pelvis in relation to the lower limbs. The abdominal muscles work in unison with other core muscles they form a [force couple](#).[6]

This is not present when in static then Anatomic Muscle Bias

Anatomic Muscle Bias

Physical Therapy Relevance

Injury - Abdominal muscle injuries commonly occur during sports involving sprinting, kicking, throwing actions, twisting, and lifting. Sit-ups, [tennis](#), [golf](#), [rowing](#), [weightlifting](#), [cricket](#), [rugby](#), [soccer](#), [hockey](#), [martial arts](#), [gymnastics](#), and [surfing](#) are other activities that can cause injury.[7]

Abdominal Muscle Injury

Transverse abdominis is a key abdominal muscle and one of the most commonly injured muscles in sports. Injuries to the transverse abdominis can be caused by a sudden stretch or by overloading the muscle during the hard push. [7][8] This is due to the muscle's role in providing stability to the trunk during movement.[9] Strengthening [weak](#) and [tight](#) muscles can help prevent injury.[10]

Abdominal muscles are used to for a powerful, [ground](#) force from a [kick](#) to be transferred from the [lower limb](#) to the [upper limb](#) during a [throw](#).[11]

- Abdominal [core](#) is essential to [injury](#) [gait](#), [weight](#) [training](#), [sports](#) [rehabilitation](#), [sports](#) [performance](#), [sports](#) [medicine](#), [sports](#) [injury](#), [sports](#) [therapy](#), [sports](#) [physiotherapy](#), [sports](#) [physical therapy](#), [sports](#) [rehab](#), [sports](#) [recovery](#), [sports](#) [training](#), [sports](#) [conditioning](#), [sports](#) [fitness](#), [sports](#) [exercise